



| Abrasimetro Testina flottante 5750

Linear Abraser 5750

TABER[®]
INDUSTRIES
ISO 9001:2000 CERTIFIED

Contoured Surface Testing

Measure abrasion resistance and other material properties of finished products of any size or shape – flat, concave or convex.

The Linear Abraser uses a free-floating head to follow the contours of every sample, permitting testing of finished products. With virtually no limit on sample size or shape, the Linear Abraser is ideal for testing consumer products, automotive components, painted parts, printed graphics, optical products, rubber, leather, textiles, and for use in testing laboratories.

Versatile testing with a single, rugged, durable machine.

With adjustable stroke length, speed, load, and a wide selection of Taber attachments, the Linear Abraser allows you to customize test parameters to your exact needs. Optional attachments can be used to perform scratch, coin scrape, Crockmeter, rub, pencil hardness scratch, paperclip mar, magnetic stripe abrasion, wire insulation scrape, chemical rub, plus custom testing.

Maintain consistent testing standards with Taber's world-famous abrasives.

The Linear Abraser abrades with a Wearaser[®]. The size and shape of a pencil eraser, the Wearaser uses the same high-quality Taber abrasive media found in our world-famous wheels so you're assured of consistent test results.



Linear Abraser 5750

Contoured Surface Testing

Standard Features:


Eleven stroke lengths (0.2" to 4.0")
Variable stroke speed from 2 – 75 cycles per minute
Preset stroke speed buttons for 2, 15, 25, 30, 40, 60 cycles per minute
Variable load from 350 – 2100 grams with optional weight discs
Stainless Steel Wearaser Collet for use with vitrified
or resilient Wearasers
Laser alignment guide
Programmable up to 999,999 cycles
115V/230V switchable **CE**

Linear Abraser Includes:

Wearaser Collet and Spline Shaft (350 grams)
250 gram Weight Discs (3 ea.)
CS-10 Wearasers (pkg. 10)
H-18 Wearasers (pkg. 5)
Power Cords (115V & 230V)
Hex L-Key Tool
Wearaser Depth Gauge Tool
S-14 Refacing Strips (pkg. 50)
Hand Brush

Optional Accessories (sold separately):

Wide selection of abrasants:
Calibrase® CS-8, CS-10F, CS-10, CS-17
Calibrade® H-10, H-18, H-22, H-38
T-Slot Universal Table
Auxiliary weight discs (10, 20, 50, 75, 100, 150, 250 gram)
Light weight spline kit
Jumbo Wearaser Collet
Universal Attachment
Scotchbrite® Abrasive Pad Kit
Brass Brush Holder
Wire/Cable Scrape Abrasion Kit
Magnetic Stripe Abrasion Kit
Scratch Tips (call for additional information)
Coin Holder Attachment
Pencil Hardness Scratch Kit
Multi-Mar Scratch Attachment



Send us your material for
a product demonstration

TABER
INDUSTRIES

Setting the Industry Standard

455 Bryant Street
North Tonawanda, New York 14120 USA

For more information:
Call 1.800.333.5300 (U.S.) or 716.694.4000 (outside U.S.)
Fax 716.694.1450
Email us at sales@taberindustries.com
Visit us at www.taberindustries.com

